CBSE | DEPARTMENT OF SKILL EDUCATION

FASHION STUDIES (SUBJECT CODE-837)

MARKING SCHEME FOR CLASS XI (SESSION 2025-2026)

Max. Time: 3 Hours Max. Marks: 60

General Instructions:

- 1. Please read the instructions carefully.
- 2. This Question Paper consists of 24 questions in two sections Section A & Section B.
- 3. Section A has Objective type questions whereas Section B contains Subjective type questions.
- 4. Out of the given (6 + 18 =) 24 questions, a candidate has to answer (6 + 11 =) 17 questions in the allotted (maximum) time of 3 hours.
- 5. All guestions of a particular section must be attempted in the correct order.
- 6. SECTION A OBJECTIVE TYPE QUESTIONS (30 MARKS):
 - i. This section has 06 questions.
 - ii. There is no negative marking.
 - iii. Do as per the instructions given.
 - iv. Marks allotted are mentioned against each question/part.

7. SECTION B - SUBJECTIVE TYPE QUESTIONS (30 MARKS):

- i. This section contains 18 questions.
- ii. A candidate has to do 11 questions.
- iii. Do as per the instructions given.
- iv. Marks allotted are mentioned against each question/part.

SECTION A: OBJECTIVE TYPE QUESTIONS

Q. No.	QUESTION	Source Material (NCERT/PSSCIVE/ CBSE Study Material)	Unit/ Chap. No.	Marks
Q. 1	Answer any 4 out of the given 6 question	ns on Employability Skills	$(1 \times 4 = 4)$	marks)
i.	Confidence means to believe in one's self and one's approach.	CBSE	4	1
ii.	 Agriculture Energy Resources Construction Fisheries Forestry Tourism Transport Water Management Waste Management Manufacturing Industry 	CBSE	5	1
iii.	Replace all	CBSE	3	1
iv.	Self motivation	CBSE	2	1
v.	Writing	CBSE	1	1
vi.	M - Measurable	CBSE	2	1
Q. 2	Answer any 5 out of the given 7 question	ns (1 x 5 = 5 marks)		
i.	Zeitgeist	CBSE	1	1
ii.	Glocal means global thinking with local flavour.	CBSE	1	1
iii.	AEPC: Association of Export Promotion Council .	CBSE	1	1

iv.	Symbiosis Institute of Design	CBSE	1	1
v.	Ritu Kumar	CBSE	1	1
vi.	(Any1) Banarasi brocades, Kanjeevaram	CBSE	2	1
	silk, Baluchari silk, Chanderi cotton/silk,			
	Maheshwari cotton, Jamdani			
	cotton/silk, Kashmiri woollen shawls			
vii.	molecule	CBSE	2	1
Q. 3	Answer any 6 out of the given 7 question	ns (1 x 6 = 6 marks)		
i.	Natural	CBSE	2	1
ii.	This silk gum can be easily removed by	CBSE	2	1
	a process called 'degumming' to give			
	silk a smooth handle and bright lustre.			
iii.	Fibre/filament	CBSE	2	1
iv.	Take-up	CBSE	2	1
v.	4%	CBSE	2	1
vi.	Dye	CBSE	2	1
vii.	Block	CBSE	2	1
		Source Material	Unit/	
Q. No.	QUESTION	(NCERT/PSSCIVE/	Chap.	Marks
		CBSE Study Material)	No.	
Q. 4	Answer any 5 out of the given 6 question	ns (1 x 5 = 5 marks)		
i.	Creative	CBSE	3	1
ii.	Flowing rhythm	CBSE	3	1
iii.	Yellow	CBSE	3	1
iv.	Emphasis	CBSE	3	1
v.	Triadic Colour Scheme	CBSE	3	1
vi.	Texture	CBSE	3	1
Q. 5	Answer any 5 out of the given 6 question	ns (1 x 5 = 5 marks)		
i.	Polyester and Terylene thread	CBSE	4	1
ii.	Sewing	CBSE	4	1
iii.	Stitch Per Inch.	CBSE	4	1
iv.	Tracing wheel	CBSE	4	1
v.	floor covering	CBSE	4	1
vi.	mashak	CBSE	4	1
Q. 6	Answer any 5 out of the given 6 question	ns (1 x 5 = 5 marks)		
i.	Rotary screen printing	CBSE	2	1
ii.	geometric	CBSE	3	1
	geometric			
iii.	Table Cover:	CBSE	4	1
iii. iv.	Š	CBSE CBSE	4	1 1
	Table Cover:			

SECTION B: SUBJECTIVE TYPE QUESTIONS

Q. No.	QUESTION ny 3 out of the given 5 questions on Employability Ski	Source Material (NCERT/PSSCIVE/ CBSE Study Material) lls in 20 – 30 words each	Unit/ Chap. No. (2 x 3 = 6	Marks 6 marks)
Q. 7	Sustainable means what is good for the economy as well as the future of the environment. For example, natural farming without using chemical fertilisers which permanently harm the soil.	CBSE	5	2
Q. 8	Manufacturing Business A manufacturing business is one that converts raw material(s) into finished product(s) to meet the demands of the customer. Services Business Any business activity that is	CBSE	4	2

	intangible, which cannot be seen and felt, but is for			
	the benefit of a buyer is called a service. Services			
	do not have a fixed time and it is flexible as per the			
	demands of the customers. Services do not even			
	need a shop to sell their products.			
Q. 9	a. Ctrl + C	CBSE	3	2
	b. Ctrl + X			
	c. Ctrl + V			
0.40	d. Ctrl + Z	ODGE.		
Q. 10	Communication skills are needed to	CBSE	1	2
	• Inform – for example, communicating the time of			
	a meeting. • Influence – for example, negotiating			
	with a shopkeeper to reduce the price. • Express			
	feelings – for example, to say or show that you are			
	excited about your success or about a given task.			
Q. 11	Setting and prioritizing goals - We have	CBSE	2	2
	option to steer our life or to let it run on its			
	own. If we take charge of our life and our			
	goals, we will be able to lead a meaningful			
	life. For leading a successful life, we should			
	create our targets andaims.			
	Creating a schedule - Creating a schedule			
	instills discipline and punctuality and ensure			
	efficient utilization of our time.			
	Making lists of tasks - This should be our first			
	to-do thing every morning. List of tasks shall			
	be prioritized for making our			
	Balancing work and leisure - Work is			
	important and equally important is leisure			
	activity to help us unwind and recharge for			
	the important tasks.			
	Breaking large tasks into smaller tasks - We			
	should break large tasks into smaller ones.			
	Smaller tasks can be finished in lesser time.			
	When we will finish few small tasks, we feel			
Answora	motivated to complete others too. nny 3 out of the given 5 questions in 20 – 30 words each	h /2 v 2 = 6 marks)		
Q. 12	Phase 5 marks Obsolescence when the style is	CBSE	1	2
Q. 12	considered to be passé i.e. outdated and is	CBSE		2
	therefore rejected.			
Q. 13	Warp - The set of thread that run down the	CBSE	2	2
Q. 13	-	CBSE		2
	fabric in the longitudinal direction is termed as 'warp'			
	Weft- The set of threads that is inserted in the			
	fabric in the horizontal direction istermed as the			
	'weft'.			
Q. 14	The circular shape of a dot may be an inspiration	CBSE	3	2
-	for designing electric bulbs. It is also used in Indian			
	culture in the form of traditional auspicious symbol			

Q. 15		CBSE	2	22
	YARN FORMATION THUSTING OF			
	CLEANING AND FIBRES ARE ORIENTED AND			
	MADE ORIGINATED STAPLE FIBRES PARALLEL STAPLE FIBRES STAPLE FIBRES			
Q. 16	Bobbin: A small metal spool that holds the lower	CBSE	4	2
	thread supply.			
	Bobbin case: The metal case that holds the bobbin.			
	It has tension springs that control the pressure on			
	the bobbin thread.			
Answer a	any 2 out of the given 3 questions in 30–50 words each (3 x 2 = 6 marks)		
Q. 17	Needles are available in three different tips/	CBSE	4	3
	points:			
	Regular sharp needle: This is ideal for mostly all			
	woven fabrics because it helps produce even			
	stitching with minimum puckering.			
	Ball-point needle: The slightly rounded tip is			
	recommended for all knit and lycra fabrics as the			
	needle pushes between the fabric yarns instead of			
	piercing them.			
	Wedge point needle: This needle is specially			
	designed for leather and vinyl, as it easily pierces			
	these fabrics to make a hole that closes back upon			
	itself. This avoids unattractive holes in the garment			
	and also reduces the risk of stitches tearing the			
	fabric.			
Q. 18	Hue: The purest form of any colour is defined as	CBSE	3	3
Q. 10	hue.	CDSE		•
	• Tint: Tint is created by adding white to a hue. It is			
	called light value of a hue. For example, mauve is a			
	tint of violet and pink is a tint of red.			
	·			
	Shade: Shade is created by adding black to a hue.			
	It is the dark value of a hue. For example, maroon			
	is a shade of red, and olive is a shade of green.			
	Tone: Tone is created by adding grey			
	(combination of white and black) to a hue. It is the			
	saturated form of a hue. For example, dull rose is a			
	tone of red, and dull blue is a tone of blue.			
Q. 19	Dyeing is the process of coloration of textiles by	CBSE	2	3
	immersing in an aqueous solution of dye known as			
	dye bath. The dye molecules must diffuse from the			
	dye bath to the ibre. The dye molecules must			
	penetrate inside the fibre structure in the			
	amorphous regions to give the required fastness.			
	To improve the effectiveness of dyeing, electrolyte			
	(e.g. salt, soda ash), dye auxiliaries (e.g. levelling			
	agents) and heat is required to assist the process			
	of dye diffusion.			
Answer a	any 3 out of the given 5 questions in 50–80 words each (4	4 x 3 = 12 marks)		
		CBSE		

		I		1
	initiatives including a number of export			
	promotion policies with incentives to broad-			
	base coverage of market-linked product scheme			
	in order to increase the Indian share for textiles			
	and clothing in the global market as follows:			
	 Welfare schemes to weavers and artisans 			
	• E-marketing platforms and other marketing			
	initiatives to promote niche handloom and			
	handicraft products through different events.			
	Skill development of people across all sub-			
	sectors. • Financial packages to help handloom sector			
	weavers and cooperative societies.			
	Textile Parks which facilitate employment to			
	several millions of textile workers in the			
	apparel, hosiery, silk, processing, technical			
	textiles including carpet and power loom			
	areas. Such industries are supported in the			
	following aspects:			
	• Land			
	Common infrastructure like compound			
	wall, roads, drainage, water supply,			
	power plant for electricity supply,			
	telecommunication lines etc.			
	 Factory buildings for production purpose 			
	 Machinery 			
	Buildings for common facilities liketesting			
	laboratories, design centre, training centre,			
	warehousing facility, packaging unit, offices of			
Q. 21	serviceproviders, marketing support systemetc. PLAIN WEAVE: Plain weave is the simplest	CBSE	2	4
Q. 21	•	CBSE	2	4
	interlacing pattern. It is produced by alternatively			
	lifting and lowering one warp thread across one weft thread.			
	TWILL WEAVE :Twill is a weave that repeats on			
	three or more ends and picks and produces			
	diagonal lines on the face of a fabric. The direction			
	of the diagonal lines on the surface of the cloth is			
	generally viewed along the warp direction. Denim			
	and jeans fabrics are common examples of twill			
	weave.			
	SATIN AND SATEEN WEAVE: Satin is a warp-faced			
	weave in which the binding points are arranged to			
				•
	produce a smooth fabric surface free from twill			
	produce a smooth fabric surface free from twill			
	produce a smooth fabric surface free from twill lines. A satin is frequently described as a 'warp			

	Plain-weave Twill-weave Satin-weave			
Q. 22	Contrast can be achieved in the following ways:	CBSE	3	4
Ψ	Size Contrast: Elements of same shape are used in	3201		•
	different sizes.			
	Texture Contrast: Elements of same shape and			
	same size are used with different textures.			
	Shape Contrast: Elements of different shapes are			
	used in approximately the same size.			
	Colour Contrast: Elements of same shape are used			
	in different colours.			
	Value contrast: Elements of the same shape are			
	used in different values of same colour.			
	Position Contrast: The elements of same shape are			
	used in different positions or angles.			
Q. 23	Apron: A garment worn while cooking over the	CBSE	4	4
-	clothes to avoid soiling them .			
	Bread basket: They are generally square shaped			
	and used to serve bread at the table .			
	Pot holder: A small, square, quilted piece for			
	holding the pot while serving hot beverage .			
	Tea Cozy: An inverted U-shaped and often quilted			
	covers used for covering the tea pot. It too helps to			
	keeps the beverage hot for longer time.			
Q. 24	The role of the different ingredients used in	CBSE	2	4
	printing of textiles.			
	Dye/pigment: The main colouring compound in			
	the printing process.			
	the printing process.			
	Water: A small amount of water is required in			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not crack immediately after printing. 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not crack immediately after printing. Steam: After printing the next process is 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not crack immediately after printing. Steam: After printing the next process is generally steaming. Steaming ensures adequate penetration of the dye molecules in the fibre. Dry heating: Dry heating softens the fibre and 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not crack immediately after printing. Steam: After printing the next process is generally steaming. Steaming ensures adequate penetration of the dye molecules in the fibre. Dry heating: Dry heating softens the fibre and allow the dye molecules to enter into the 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not crack immediately after printing. Steam: After printing the next process is generally steaming. Steaming ensures adequate penetration of the dye molecules in the fibre. Dry heating: Dry heating softens the fibre and allow the dye molecules to enter into the amorphous region of the fibre structure. 			
	 Water: A small amount of water is required in printing to dissolve the dye into the print paste. Water is a convenient and easily available medium to mix and disperse the dye molecules in the thickener. Thickener: The purpose of the thickener is to produce a medium for the dye paste. The viscosity of the printing paste is very important as it affects the clarity and depth of the printed pattern. The physical and chemical properties of the thickener should be such that it should not crack immediately after printing. Steam: After printing the next process is generally steaming. Steaming ensures adequate penetration of the dye molecules in the fibre. Dry heating: Dry heating softens the fibre and allow the dye molecules to enter into the 			